

Psychology

Archive

Lecture"7"

Medical card .

Name _____

Date of b

Gender _____

Address _____

Date of call _____

Corrected By :

Kareem Obeidallah

Edited by :

عبادة الخوادة



Psychology

Lecture 7

All of the following are antidepressant drugs, except ?

- a. SSRI
- b. tricyclic antidepressant
- c. MAOIs
- d. antinoamine tritase rehibitor (ATRs)
- e. all of the following are true

answer: (d)

The most common target group for depression is:

Select one:

- a. middle-aged male
- b. middle-aged females
- C. young girls
- d. children
- e. young male

answer: (b)

:Dysthymic disorder differs from major depressive disorder in the following ways:

Select one:

- a. symptoms only affect women during the winter months
- b. symptoms include hallucinations and delusional thinking
- C. symptoms are less severe but last longer
- d. symptoms are more severe and last longer
- e. symptoms are more severe and last lesser

answer: (C)

Within mood disorders, two key symptoms of a major depressive episode are:

- a) very low mood and agoraphobia
- b) problems in concentration and compulsive behaviors
- c) lack of interest in usual activities and recurrent thoughts of death
- d) diminished need for sleep and loss of energy
- e) none of provided answers

answer: (C)

Psychology

Lecture 7

Somatic symptoms of depression include all,except:

- a) feelings of guilt
- b) reduced interest
- c) insomnia
- d) weight change
- e) none of provided answers

answer: (a)

DSM-IV-TR criteria for a major depressive episode include which of the following:

- a) symptoms cause clinically significant distress or impairment in social functioning
- b) symptoms are not due to physiological effects of substance misuse
- c) symptoms are not accounted for by bereavement
- d) all of the provided answers
- e) symptoms are not better accounted for by bereavement

answer: (d)

The inability of major depression patient to experience pleasure is a serious manifestation of the illness because it is a distressing symptom that leads some patients to commit suicide.

This symptom is best known as:

- a) phobia
- b) anhedonia
- c) blunt affect
- d) all of the provided answers
- e) apathy

answer:(b)

Which of the following is a behavioral symptom exhibited by individuals suffering unipolar depression: Select one:

- a) unpredictable and erratic behavior
- b) compulsive checking
- c) stay in bed for long periods
- d) ritualized behavior
- e) hallucination

answer: (C)

Psychology

Lecture 7

a patient has major depressive disorder attempts twice to suicide. The doctor concludes that these Suicidal aatemts are results from:

- A. Halucinations
- B. Patientis pushed to suicide by others
- C. Feeling of worthlessness and helplessness

answer: (C)

Which of the following is a chronic mood disturbance that can cause depressive symptoms, but does not disrupt normal function?

- a. Cyclothymic Disorder.
- b. Dysthymic Disorder.
- c. Dissociative disorder
- d. Personality disorder.

answer: (B)

A 67-year-old man presents to general medical clinic with a chief complaint of fatigue. He also reports poor concentration and a general sense of hopelessness. He denies any other symptoms. He feels as if these symptoms will never go away as they have been present for the past three years. His vital signs are within normal limits and a physical exam is unremarkable. A laboratory workup reveals that he is euthyroid. What is the most likely diagnosis?

- a. Cyclothymia .
- b. Major Depressive Disorder .
- c. Double Depression
- d. Dysthymia .
- e. Bipolar Disorder.

answer:(d)

Psychology

Lecture 7

A 67-year-old man came to clinic complains of depression and says he feels hopeless about changing it because he has been feeling depression for 3 years. After examination, his vital signs are normal. What is the likely diagnosis :

- A. Major depressive disorder
- B. Persistent depressive disorder (dysthymia)
- C. Cyclothymia .
- D. Double Depression.

answer:(b)

To diagnose a patient with depression with atypical symptoms, what is the apparent symptom :

- A. Restlessness.
- B. Hyposalivation.
- C. Flights of idea.
- D. Weight gain or decrease in appetite.
- E. Weight gain or increase in appetite.

answer:(e)