

• CORROSIVE:

1. 37. During covid-19 pandemic, a 5 years child accidentally drink a small amount of chlorine which is widely used as a household disinfection. His family rapidly transferred him to emergency department to Karak Hospital. Emergency physician rapidly admitted the child and a gastric tube was applied to perform gastric wash.

As regard the physician practice:

- A. It is a good practice to prevent absorption and decrease toxicity.
- B. It is a good practice, but physician should give activated charcoal at the end of the lavage.
- C. No, gastric lavage is not indicated in this case as the child drink small amount.
- D. No, gastric lavage is not indicated for fear of aspiration and more esophageal injury.
- E. No, as gastric lavage is contraindicated in age less than 6 years.

Answer:d

2. Child ingested caustic agent and came after 5 days , managemnt?

- A) gastric lavage
- B) activated charcol
- C) emesis
- D) beneficial steroids

Answer:D

3. Early complication of corrosive :

- A. Neurogenic shock
- B. Strictures
- C. Cancer

Answer:A

4. Regarding the following: 1-Kerosine/ 2-paracetamol/ 3- corrosives/ 4- iron. Which one is an contraindication for gastric lavage:

- A. only 2 is correct
- B. 2 and 4 are correct
- C. 1 and 3 only

Answer:C

5. Corrosive acid poisoning is best treated by: Select one:

- A. Stomach wash
- B. purgatives
- C. Dialysis
- D. Emesis
- E. None of all mentioned answers

Answer: E

6. 29. Induction of emesis is contraindicated in the following conditions except:

- A. Coma.
- B. Child less than 6 months.
- C. Corrosives ingestion.
- D. Hyperthermia.
- E. Foreign body ingestion.

Answer: d هاد لاكثر من محاضرة

7. What's the correct answer about target site for corrosive damage :

We can see esophagus and stomach by hot endoscopy

8. Picture of corrosive: Someone drank this, what should you do?

- A. Syrup of ipecac
- B. Activated charcoal
- C. Gastric lavage
- D. Demulcent
- E. Induce vomiting

Answer: d

9. Syrup of ipecac:

- A. Contraindicated in ingestion of sharp object
- B. Indicated in convulsions
- C. Indicated if patient came late

Answer: A

10. 7. What GI decontamination is done following ingestion of this substance (CLOROX)

- A. gastric lavage only
- B. emesis + gastric lavage
- C. AC
- D. Not of the above

Answer: D

11. What is the appropriate timing for performing upper GI endoscopy after corrosive substance ingestion to assess the extent of injury?

- A. Within the first hour of ingestion
- B. Within the first 24 hours
- C. After 72 hours
- D. Endoscopy is not recommended

Answer:B

12. baby came to emergency center and the mother said he was ingest a corrosive , what is the management!!

- A. emesis and Ac
- B. IV fluid and analgesia
- C. gastric lavage.

Answer:B

21)What is the first-line emergency management of corrosive ingestion?

- a) Gastric lavage
- b) Induced vomiting
- c) Administration of eggs and milk
- d) Activated charcoal
- e) IV antibiotics

answer:c