




QUIZ TIME

lec. 4

INTRODUCTION TO DENTISTRY



لجنة
طب الأسنان
جامعة مؤتة



All teeth develop from four lobes (3 buccal and 1 lingual) except:

- A) Upper first premolar
- B) Lower first molar
- C) Upper canine
- D) Upper second premolar

B) Lower first molar

Marginal ridges are:

- A) The elevations that form the buccal and lingual borders of the crown.
- B) The rounded borders of enamel forming the mesial and distal margins of the occlusal surfaces of premolars and molars, and the lingual surfaces of incisors and canines.
- C) The ridges that extend from cusp tip toward the central groove.
- D) The small elevations on the incisal edges of newly erupted incisors.

Answer: B)

Marginal ridges in anterior teeth are present on:

- a) Buccal aspect
- b) Lingual aspect
- c) Incisal aspect
- d) Mesial aspect

answer: b)

The crown may be divided into thirds in horizontal direction as:

- a) Occlusal – Middle – Cervical
- b) Mesial – Middle – Distal
- c) Cervical – Middle – Apical
- d) Buccal – Middle – Lingual

answer: a)



Which of the following could NOT be considered as a point angle of an anterior tooth?

- a) Labio-linguo-incisal
- b) Labio-disto-incisal
- c) Linguo-mesio-incisal
- d) Labio-mesio-incisal

answer: a)

A prominent lingual ridge divides the lingual fossa into two fossae in:

- a) Lower permanent canine
- b) Upper permanent canine
- c) Lower first premolar
- d) Upper second premolar

answer: b) Upper permanent canine

The Eagle's cusp is:

- A) A small elevation on the lingual surface of upper molars
- B) Excessive localized enamel formation on the lingual surface of anterior teeth over the cingulum
- C) A depression found on premolars
- D) Another name for Cusp of Carabelli

answer: B)

