


Derma mini osce rawh 3.Dec



Q 01

DEFINE:
BURROW
TARGET LESION
KOBENERIZIATION
LICHENIFICATION

Burrow: Slightly elevated, grayish, tortuous line in the skin ended by papule.

target lesion: central sore surrounded by pale red ring/ A three-zone concentric lesion: dark center → pale ring → outer red ring. Seen in erythema multiforme.

kobenerization: Appearance of new skin lesions at sites of trauma in diseases like psoriasis, vitiligo, and lichen planus.

Lichenification: Thickened, leathery skin due to chronic rubbing or scratching.

Q 02

ABOUT URTECARIA:

-ICE CUPE TEST +VE IN_____

-MOST IMPORTANT CELL IN THE PATHOLOGY OF URTICARIA

-URTICARIA FOR MORE THAN 24H IS MOSTLY--

-WHEELS APPEAR WITHIN___ IN CHOLINERGIC URTECARIA

cold urticaria

Mast cell

urticaria vasculitis

Immeditaly or Minutes??

Q 03

A)LEVEL OF SEPARATION IN

1. BOLLUS PEMPHIGOID

2. DERMATITIS HERPTIFORMIS

3. PEMPHIGOID VULGARIS

B)SITE OF INVOLVEMENT OF DERMATITIS HERPTIFORMIS_____

C)IN BOLLUS DERMATOSIS, MUCOSAL MEMBRANE IS INVOLVED IN ___ AND NOT INVOLVED IN ___

a) subdermal , subdermal , intradermal

B) extensor surface

C)pemphigoid vulgaris, bollus pemphigoid

Q 04

A) WRITE 4 POINTS ABOUT THE PATHOLOGY OF FORMATION OF ACN...

B) TREATMENT OF PAPULOPUSTULAR PTYRIASIS ROSEA...

1. Hormonal role, androgens, Testosterone, DHEAS
2. Increased sebum production.
3. Hyper-cornification (increase in keratin formation) of the pilosebaceous duct (infundibulum).
4. Role of Propionibacterium acne

B) topical antibiotics (doxycycline)/ azelic acid

Q 05

CAUSATIVE AGENT OF ACNE VULGARIS ___

-WARTS

-FURUNCULOSIS

-BOLLUS EMPITIGO ___

-HAND FOOT MOUTH DISEASE

-MOLLUSCUM CONTAGIOSUM ___

Propniobacterum

HPV

S.aureus

s. aureus

Coxsackie A16 virus

Poxvirus

Q 06

A) WRITE TWO ASSOCIATED CLINICAL FEATURES OF STEROID SULFATASE DEFICIENCY ICTHYOSIS

B) WRITE 2 VARIANTS OF ONYCHOMYCOSIS

A- Cryptorchidism

Corneal opacity

B- distal onychomycosis

Proximal onychomycosis

Q 07

COLOR IN WOOD'S LIGHT FOR EACH :

VITILIGO

PITRYASIS ALBA

Milky white

pale or negative

Q 08 WRITE 2 OF COGENITAL SYPHILIS LATE MANIFESTATIONS

Anterior bowing of shin (saber shin).
Hutchinson teeth-hypoplastic notched permanent teeth

Q 09 WRITE 2 DDX OF HYPERPIGMENTATION PATCH ON THE FACE

melasma
Post-inflammatory hyperpigmentation

Q 10 TRUE & FALSE

- 1ST LESION IN PTYRIASIS ROSEA IS ANNULAR. (✓)
- TINEA CRURIS IN WOOD'S LIGHT IS +VE (✗)
- THE ORAL VARIANT OF LP IS MOSTLY PAINFUL. (✗)
- THE CULTURE/SMEAR THAT IS TAKEN FROM THE PUSTULAR PSORIASIS IS MOSTLY GIVE +V. (✗)

Q 11 WRITE 2 CAUSES OF SCARRING ALOPECIA

Q 12 LIST 3 DISEASES IN WHICH NAIL PITTING IS SEEN

Eczema
psoriasis
alopecia areata

Q 13 A-MODE OF INHERITANCE OF NATHERTIN ICTHYOSIS IS__
B-STEILLATE PAPULES ARE CHARACTERISTIC FOR___

A- Autosomal recessive
B- candida napkin

DONE BY :
BAYAN ABU HAIJA/ BARAA AHMAD
YOUSEF+ALA' SARAIRAH /SEREEN YASEEN